

---

**Fwd: Status has been changed for your article No. 34216-JEAS**

---

E-mail Administrator <no.reply.upgrade@mail.com> <milamilvy@gmail.com>  
Kepada: purnamawati@unm.ac.id

11 Oktober 2019 00.37

----- Forwarded message -----

From: **Medwell Journals** <medwelljournals@gmail.com>  
Date: Tue, Sep 12, 2017, 12:34 PM  
Subject: Status has been changed for your article No. 34216-JEAS  
To: Wa Karmila <milamilvy@gmail.com>

Dear Wa Karmila,

Status for the article No. 34216-JEAS has been changed to:

**Revised Manuscript has been accepted for publication.**

For further information, please logon the system at <http://medwelljournals.com> with your user id and password.

Best Regards  
Medwell Journals Support Team  
<http://www.medwelljournals.com>  
Tel: +92-41-5003000, 5004000  
Fax: +92-41-8815599

---

**Fwd: Status has been changed for your article No. 34216-JEAS**

---

E-mail Administrator <no.reply.upgrade@mail.com> <milamilvy@gmail.com>  
Kepada: purnamawati@unm.ac.id

11 Oktober 2019 00.37

----- Forwarded message -----

From: E-mail Administrator <no.reply.upgrade@mail.com> <milamilvy@gmail.com>  
Date: Tue, Oct 3, 2017, 7:25 AM  
Subject: Re: Status has been changed for your article No. 34216-JEAS  
To: Medwell Journals <medwelljournals@gmail.com>

Dear Editor,


Related to our paper **34216-JEAS**, we have revised the content. we hope you can receive our revision result.

Thank you very much.

regards,  
Wa Karmila

[Kutipan teks disembunyikan]

---

 rev.ANALYSIS ON INSTRUCTIONAL DESIGN INSTRUMENTS OF METACOGNITION BASED  
ELECTRONIC INDUSTRIES - JEAS.docx  
68K