Implementation of the SutteARIMA method to predict short-term cases of stock market and COVID-19 pandemic in USA

by Ansari Saleh Ahmar

Submission date: 07-May-2023 04:02PM (UTC-0500)

Submission ID: 2086739536

File name: 2 Singh2021_Article_ImplementationOfTheSutteARIMAM.pdf (681.48K)

Word count: 4745 Character count: 23084



Implementation of the SutteARIMA method to predict short-term cases of stock market and COVID-19 pandemic in USA

Pawan Kumar Singh¹ • Anushka Chouhan² • Rajiv Kumar Bhatt² • Ravi Kiran³ • Ansari Saleh Ahmar⁴

Accepted: 23 June 2021

© The Author(s), under exclusive licence to Springer Nature B.V. 2021

Abstract

The objective of this study is to compare the different methods which are effective in predicting data of the short-term effect of COVID-19 confirmed cases and DJI closed stock market in the US. Data for confirmed cases of COVID-19 has been obtained from Worldometer, the database of Johns Hopkins University and the US stock market data (DJI) was obtained from Yahoo Finance. The data starts from 20 January 2020 (first confirmed COVID-19 case the US) to 06 December 2020 and DJI data covers 21 January 2019 to 04 December 2020. COVID-19 data was tested for the period 30 November to 06 December and DJI from 25 November 2020 to 04 December. From the result, we find that the method SutteARIMA was found more suitable to calculate the daily forecasts of COVID-29 confirmed cases and DJI in the US and this method has been used in this study. For the evaluation of the prediction methods, the accuracy measure means absolute percentage error (MAPE) has been used. The MAPE value with the SutteARIMA of 0.56 and 0.60 for COVID-19 and DJI stock respectively was found to be smaller than the MAPE value with ARIMA method.

Keywords SutteARIMA · DJI · Short-term forecast · COVID-19

JEL Classification G10 · G15 · C53 · I12



COVID-19 is a contagious disease caused by the novel corona virus (SARS-CoV-2) and was first detected in Wuhan in the Hubei province of China in December 2019. The findings of a Singh et al. (2021) examine that higher temperature may bring down the number of COVID-19 confirmed cases. It proposes that better access to sanitation facilities is a certain measure to contain the spread of the virus. The findings of Bashir, (2020) also

Pawan Kumar Singh

22 pawan.singh@thapar.edu

Extended author information available on the last page of the article

Published online: 14 July 2021



confirmed a significant positive association between temperature and COVID-19 cases. In another study, Bilal (2021b) has found temperature, humidity, environmental quality index, PM_{2.5}, and rainfall as significant factors related to the unprecedented pandemic (COVID-19) in the top 10 most affected states of the USA.

COVID-19 soon turned into a pandemic leading the world into a lockdown that is speculated to have an economic cost greater than the Great Depression of 1930s (IMF 2020). According to the IMF, several developed and undeveloped countries with weaker economic growth before the current pandemic will suffer worse under economic deceleration and decline (IMF 2020). The pandemic is yet to recede in intensity with more than 63 million cases and 1.47 million deaths as on November 30, 2020. The volume and spread of infection has increased exponentially since the first week of March in the United States, which now has the most number of both confirmed cases and deaths (Worldometer 2020). The effect of the COVID-19 pandemic on the US economy has been largely disruptive, adversely affecting financial markets, travel, shipping, employment, and other industries (CBO 2020). The US stock market index Dow Jones Industrial Average (DJI) fell by more than 3% with COVID-19 spreading rapidly across the world over the weekend. While the sharpest declines in the US stock market indices including DJI, NASDAQ-100 and S&P 500 since 2008 was reported on February 27. On February 28, stock markets across the world reported their largest single week decline since 2008 with stock markets closing down worldwide and the market fell to a new record low on March 6th (YahooFinance, 2020b), (Wikipedia 2020).

Forecasting the Dow Jones Industrial Average (DJI) with the number of confirmed cases of COVID-19 in the USA is important to understand the extent of the lockdown and the pandemic. Such studies have been previously carried out. The current work attempts to compare different forecasting methods to find out the most effective method for predicting the behavior of the DJI index in relation to the COVID-19 crisis. This is especially important given the huge economic costs of the current pandemic and its widespread impact on the investment and spending behavior and returns of people across the world.

Many researchers' have applied diverse and increasingly effective range of methods and indicators to predict the spread of infections and pandemics, and also to map and forecast the current COVID-19 crisis. Some of these have been included in the current study. The Susceptible-Exposed-Infected-Recovered (SEIR) model has been used to predict the transmission of the pandemic by Gatto et al. (2020) in Italy and by Kuniya (2020) in Japan. The SIR (Susceptible-Infected-Recovered) model has been used to predict the reproduction number of COVID 19 by Das (2020) at both centre and state levels in India. The temporal deep learning method, deriving from time-aware long short-term memory (T-LSTM) neural network, has been suggested to forecast COVID 19 in Wuhan, China by Li et al. (2020), while (Arora et al. 2020) used the deep-learning based models to forecast the number of reported positives of COVID in 32 states and union territories in India. Time series prediction logistic models based on machine learning have been applied in Brazil, Russia, India, Peru and Indonesia for global predictions (Wang et al., 2020). GROOMs is a combination of five forecasting models proposed by Fong et al. (2020). Singh et al. (2020) used ARIMA model in forecasting the infection trajectory for the coming two months. In Indian states, the epidemiological spread is predicted using ARIMA (Roy et al. 2020). Castillo and Melin (2020) have used a hybrid approach for time series forecasting using the fractal theory and fuzzy logic. The Limited Failure Population concept for prediction of the spread of virus in European countries and the US has been used by (Koutsellis and Nikas 2020). Singhal et al. (2020) applied the mathematical model accounting and the Fourier decomposition method (FDM) in India, Italy and the US. The Network Inference based



Prediction Algorithm (NIPA) was used in Hubei, China and the Netherlands, and was found to be superior to other forecasting algorithms by Achterberg et al. (2020). Eydoux et al. (2021) reported that the application of a purified and highly active SARS-CoV replication/transcription complex (RTC) provides a new strategy for the rapid identification of potential anti-SARS inhibitors. Bashir et al. (2020) found that the restriction of economic activities helped to reduce pollution level in the ecosystem, however he concluded that this change is not permanent, and the status of pollution may increase again in the future. Ahmar et al., (2020) have used the SutteARIMA method, a short-term prediction method in the USA for COVID-19 and for COVID-19 and stock market in Spain, while (Ahmar et al., 2020) used the SutteARIMA method in predicting confirmed cases in Spain. Salisu et al. (2020) have applied the GFI (Global Fear Index) to understand the predictability of commodity price levels during COVID. Nabipour et al. (2020) have used machine learning algorithms in predicting the future values of the Tehran stock market while Garcia et al. (2020) have applied the KAF (Kernel Adaptive Index) with a stock market interdependence to systematically predict stock market returns. Xie et al. (2011) have developed support vector machine (SVM) and multivariate discriminate analysis (MDA) to predict Chinese listed companies. Pang et al. (2020) advocate the use of deep long short-term memory neural network (LSTM) with an embedded layer and the long short-term memory neural network with automatic encoder to forecast stock market data. Ahmar et al. (2018) have compared the indicators ARIMA, Holt-Winters, SARIMA, α-Sutte, which are widely used along with NNAR in predicting stock market and time series data Ahmar et al. (2018). The SutteARIMA prediction model again has been used to predict COVID-19 confirmed cases in Spain (Ahmar and Boj 2020a, b). Ojugo and Yoro (2020) has used ARIMA model to predict the Oil market and its price direction. In the preceding literature, there is a growing tendency towards lower MAPE and MSE values with the SutteARIMA model. To find out the most effective model, in the current work, the SutteARIMA model was compared to the traditional ARIMA model.

2 Literature review

2.1 ARIMA

The St process is an autoregressive-moving average or ARMA (p, q) model if it fulfils:

$$\phi_p(C)S_t = \theta_q(C)a_t, a_t \sim WN(0, \sigma^2), \phi_p, \theta_q \in \mathbb{R}, t \in \mathbb{Z}$$
(1)

with
$$\phi_p(C) = (1 - \phi_1 C - \phi_2 C^2 - \dots - \phi_p C^p)$$
 (for AR(p)).
and $\theta_q(C) = (1 - \theta_1 C - \theta_2 C^2 - \dots - \theta_q C^q)$ (for MA(q)).

If there is a differencing then the ARIMA model becomes as follows:

$$\phi_p(C)(1-C)^dS_t = \theta_q(C)a_t, a_t \sim WN\big(0,\sigma^2\big), \phi_p, \theta_q \in \mathbb{R}, t \in \mathbb{Z}.$$

with
$$\phi_p(C) = (1 - \phi_1 C - \phi_2 C^2 - \dots - \phi_p C^p)$$
 (for AR(p)), $(1 - C)^d$.
(for differencing non seasonal) and $\theta_q(C) = (1 - \theta_1 S - \theta_2 C^2 - \dots - \theta_q C^q)$ (for MA(q)).





2.2 α-Sutte indicator

The α -Sutte indicator is based on the practice of forecasting that is developed on the previous values of the variable or data set (Ahmar et al. 2018). The model applies the adapted version of the MA (moving average) method of forecasting which is generally used to detect and forecast trends in time series data. The α -Sutte indicator's predictions are based on four data sets of the previous period, i.e., St-1, St-2, St-3, and St-4 (Ahmar et al. 2018). The principal equations of the indicator method are (Ahmar et al. 2018).

$$S_{t} = \frac{\gamma\left(\frac{\Delta k}{\frac{\gamma + \delta}{2}}\right) + \beta\left(\frac{\Delta m}{\frac{\beta + \gamma}{2}}\right) + \alpha\left(\frac{\Delta s}{\frac{\alpha + \beta}{2}}\right)}{3} \tag{2}$$

where:

$$\begin{split} \delta &= S_{t-4} \\ \gamma &= S_{t-3} \\ \beta &= S_{t-2} \\ \alpha &= S_{t-1} \end{split}$$

$$\Delta k = \gamma - \delta = S_{t-3} - S_{t-4}$$

$$\Delta m = \beta - \gamma = S_{t-2} - S_{t-3}$$

$$\Delta s = \alpha - \beta = S_{t-1} - S_{t-2}$$

37

St= data at t time, St-r= data at (t-r) time.

2.3 SutteARIMA

SutteARIMA is a method of forecasting that combines the method of ARIMA with the method of α -Sutte Indicator (Ahmar et al. 2018). The result of SutteARIMA forecast is the average of results from ARIMA and α -Sutte indicator.

ARIMA in Eq. (1), can be described as:

While Eq. (3), can be reduced by using the backward shift operator ($C^pS_t = S_{t-p}$):

$$S_{t} - \phi_{1}S_{t-1} - \phi_{2}S_{t-2} - \dots - \phi_{p}S_{t-p}$$

$$= a_{t} - \theta_{1}a_{t-1} - \theta_{2}a_{t-2} - \dots - \theta_{q}a_{t-q}$$

$$S_{t} = \phi_{1}S_{t-1} + \phi_{2}S_{t-2} + \dots + \phi_{p}S_{t-p}$$

$$+ a_{t} - \theta_{1}a_{t-1} - \theta_{2}a_{t-2} - \dots - \theta_{q}a_{t-q}$$

$$(4)$$

If we define:

$$\begin{split} \delta &= S_{t-4} \\ \gamma &= S_{t-3} \\ \beta &= S_{t-2} \\ \alpha &= S_{t-1} \end{split}$$



So, the Eq. (4) can be describe:

$$S_{t} = \phi_{1}\alpha + \phi_{2}\beta + \phi_{3}\gamma + \phi_{4}\delta + \dots + \phi_{p}S_{t-p} + a_{t} - \theta_{1}a_{t-1} - \theta_{2}a_{t-2} - \dots - \theta_{q}a_{t-q}$$
 (5)

and the Eq. (2) can be simplified as:

$$S_t = \frac{\gamma\left(\frac{\Delta k}{\gamma + \delta}\right) + \beta\left(\frac{\Delta m}{\frac{\beta + \gamma}{2}}\right) + \alpha\left(\frac{\Delta s}{\frac{\alpha + \beta}{2}}\right)}{3}$$

$$S_t = \frac{\frac{\gamma \Delta k}{\frac{\gamma + \delta}{2}} + \frac{\beta \Delta m}{\frac{\beta + \gamma}{2}} + \frac{\alpha \Delta s}{\frac{\alpha + \beta}{2}}}{3}$$

$$S_t = \frac{\gamma \Delta k}{\frac{3\gamma + 3\delta}{2}} + \frac{\beta \Delta m}{\frac{3\beta + 3\gamma}{2}} + \frac{\alpha \Delta s}{\frac{3\alpha + 3\beta}{2}}$$

$$S_t = \frac{2\gamma \Delta k}{3\gamma + 3\delta} + \frac{2\beta \Delta m}{3\beta + 3\gamma} + \frac{2\alpha \Delta s}{3\alpha + 3\beta}$$

$$S_t = \gamma \frac{2\Delta k}{3\gamma + 3\delta} + \beta \frac{2\Delta m}{3\beta + 3\gamma} + \alpha \frac{2\Delta s}{3\alpha + 3\beta}$$

Let, Eq. (4) added with Eq. (5), we will find:

$$\begin{split} 2S_t &= \phi_1 \alpha + \phi_2 \beta + \phi_3 \gamma + \phi_4 \delta + \ldots + \phi_p S_{t-p} + a_t - \theta_1 a_{t-1} - \theta_2 a_{t-2} - \ldots - \theta_q a_{t-q} + \\ & \gamma \frac{2\Delta k}{3\gamma + 3\delta} + \beta \frac{2\Delta m}{3\beta + 3\gamma} + \alpha \frac{2\Delta s}{3\alpha + 3\beta} \end{split}$$

$$S_{t} = \alpha \left(\frac{\phi_{1}}{2} + \frac{\Delta s}{3\alpha + 3\beta} \right) + \beta \left(\frac{\phi_{3}}{2} + \frac{2\Delta m}{3\beta + 3\gamma} \right) + \gamma \left(\frac{\phi_{3}}{2} + \frac{2\Delta k}{3\gamma + 3\delta} \right) + \frac{\phi_{4}\delta}{2} + \dots + \frac{\phi_{p}S_{t-p}}{2} + \frac{a_{t}}{2} - \frac{\theta_{1}a_{t-1}}{2} - \frac{\theta_{2}a_{t-2}}{2} - \dots - \frac{\theta_{q}a_{t-q}}{2}$$
(6)

So, the Eq. (6) is the formula of SutteARIMA.

After an overview of related models, the next section discusses the methodology.

3 Methodology

COVID-19 data for this research work has been collected from Worldometer (2020), CSSE, JHU (2020) for 20 January to 06 December 2020 and DJI data from YahooFinance (2020) for 21 January 2020 to 04 December 2020. In this research, the data is divided into two parts: training data and test data. Training data starts from 20 January 2020 to 29 November 2020 for COVID-19 confirmed cases and 21 January 2020 to 24 November 2020 for DJI, while test data covers 30 November to 06 December 2020 and 25 November to 04 December 2020 for COVID-19 and DJI respectively. Based on the fitting data, this study conducted short-term forecasts for 05 future periods. Ahmar (2018) has developed SutteForecastR package in R software which compares the forecasting results of other



forecasting methods. In the interpretation of the predictions, we have used the forecasting accuracy measure MAPE (Mean Absolute Percentage Error) (Kim and Kim 2016; Ahmar 2020).

$$MAPE = \frac{1}{N} \sum_{t=1}^{28} \left| \frac{A_t - F_t}{A_t} \right|$$
 (7)

where: At = Actual values at data time t and $F_t = forecast$ value at data time t.

4 Results and discussion

Short-term daily estimates of COVID-19 and Stock prices is important for making strategic decisions for the future. In the case of COVID-19, daily forecasting can provide information to find a way to prevent the spread of COVID-19. Figure 1 highlights that confirmed daily cases of COVID-19 in the US will continue to increase until this curve will move downward. This graph also explains that this curve has gone through the first peak period and addition of confirmed COVID-19 cases in the US seems to be decreasing or fluctuating.

A crucial impact is felt on the stock market because with the outbreak of the pandemic, investors started panic buying, leading to selling of stocks, which resulted in a drop-in stock price. Moreover, this trend increased after the WHO announced COVID-19 as a pandemic. The United States has seen a large number of cases and deaths since. Thus, the impact on the US is very important in light of the extensive cases. Figure 2 shows the closing price of the DJI which has fluctuated from the beginning of COVID-19 in the USA.

As per the description, the process of forecasting data was conducted using the ARIMA and SutteARIMA methods. The results of the forecast of different methods are presented in Table 1 for confirmed COVID-19 cases and Table 3 for DJI stock closing price in the USA.

SutteARIMA method was found to be the most appropriate method for predicting COVID-19 confirmed cases and DJI with a MAPE value of 0.56 and 0.60 (smaller than




Fig. 1 Daily New Cases of COVID-19 in the USA






Fig. 2 Closing Price of DJI the USA

Table 1 Results of fitting confirmed cases of COVID-19 in the USA

Date	Actual	ARIMA (0,2,1)	APE	SutteARIMA	APE
30/11/20	13,541,221	13,536,624	0.0339	13,543,886	0.0197
01/12/20	13,721,858	13,689,879	0.2331	13,691,379	0.2221
02/12/20	13,921,913	13,843,133	0.5659	13,862,496	0.4268
03/12/20	14,139,577	13,996,388	1.0127	14,049,503	0.6370
04/12/20	14,367,462	14,149,642	1.5161	14,245,058	0.8520
05/12/20	14,581,337	14,302,897	1.9096	14,443,607	0.9446
06/12/20	14,757,000	14,456,151	2.0387	14,629,497	0.8640
		MAPE	1.0443	MAPE	0.5666

MAPE value of ARIMA) as shown through Tables 1 and 3. Therefore, the technique has been used to predict COVID-19 confirmed cases for five days (Table 2 and Fig. 3). Based on Table 3, the SutteARIMA method is also the most suitable method with a MAPE value 0.60 for DJI than ARIMA method. Therefore, it has been used to forecast the DJI stock from 05 to 09 December 2020 (Table 4 and Fig. 4). Finally, based on forecasting results of COVID-19 and DJI stock, we may conclude that SutteARIMA method is the most suitable forecasting method to forecast confirmed cases on COVID-19 and closing price of DJI in the USA. This can be verified by the value of forecasting accuracy measures (MAPE), and thus SutteARIMA method is considered as the best method for all data. Predicted values of COVID-19 confirmed cases and DJI stock Price has also shown in Figs. 3 and 4 respectively with 99% upper and lower limits.

5 Conclusion

Prediction of COVID-19 and DJI in the USA can prove an intelligent idea for the policymakers in future. In fitting data of confirmed COVID-19 cases in the USA from 07 to 11 December 2020, the SutteARIMA is more suitable as compared to ARIMA method.





Table 2	Forecast for	r confirmed
cases of	COVID-19	in the USA

Date	Forecast	Lower 99%	Upper 99%
07/12/20	14,812,981	14,769,499	14,856,464
08/12/20	14,996,471	14,931,926	15,061,017
09/12/20	15,179,962	15,097,072	15,262,852
10/12/20	15,363,452	15,263,245	15,463,660
11/12/20	15,546,942	15,429,828	15,664,057




Fig. 3 Forecast for confirmad cases of COVID-19 in the USA (with 99% Upper and Lower Limit)

Table 3 Results of fitting data of DJI Stock

Date	Actual	ARIMA (0,1,2)	APE	SutteARIMA	APE
25/11/20	29,872.4707	30,039.060	0.55766830	30,137.505	0.88721921
27/11/20	29,910.3691	30,205.700	0.98738621	30,141.550	0.77291209
30/11/20	29,638.6406	30,205.700	1.91324352	30,111.885	1.59671415
01/12/20	29,823.9199	30,205.700	1.28011368	29,854.530	0.10263601
02/12/20	29,883.7891	30,205.700	1.07720925	30,007.025	0.41238392
03/12/20	29,969.5195	30,205.700	0.78806892	30,040.625	0.23725929
04/12/20	30,218.2598	30,205.700	0.04156351	30,142.885	0.24943452
		MAPE	0.94932191	MAPE	0.6083656

Table 4 Forecast for Closing Stock Price DJI in the USA

Date	Forecast	Lower 99%	Upper 99%
05/12/20	30,063.0237	29,790.78681	30,335.26
06/12/20	30,052.3411	29,780.10299	30,324.58
07/12/20	30,041.65849	29,769.41820	30,313.90
08/12/20	30,030.97589	29,758.73220	30,303.22
09/12/20	30,020.29329	29,748.04470	30,292.54



Implementation of the SutteARIMA method to predict short-term...




Fig.4 Forecast for Closing Stock Price DJI in the USA (with 99% Upper & Lower Limit)

In fitting DJI data in the USA from 02 to 06 December 2020, the SutteARIMA is found more suitable as compared to ARIMA method. Finally, SutteARIMA calculated daily forecasts of COVID-19 confirmed cases (07 December to 11 December 2020 i.e. 14,812,981, 14,996,471, 15,179,962, 15,363,452 and 15,546,942) in Table 2 and DJI stock price (05 December to 09 December 2020 i.e. 30,063, 30,052, 30,041, 30,030, and 30,020) for five days in Table 4.

6 Policy implication and further research

The findings of the paper will be helpful for policymakers in ascertaining the future impact and can be used as a tool in policy formulation. Tracking changes in consumption and investment behavior and their impact on returns is important to devise and initiate suitable policy prescriptions for the target population. The current study opens new arena of research for examining relation of stock market and other economic indices in countries and economics across the world. This will help in getting a holistic understanding of the economic impact of the current pandemic with new and advanced indicators. For further research, this method can be compared with other methods, for example, Holt-Winters, α -Sutte indicator, NNAR, Theta, time series linear model (TSLM) or other forecasting methods.



Conflict of interest No conflict of interest.



References

- Achterberg, M.A., Prasse, B., Ma, L., Trajanovski, S., Kitsak, M., Van Mieghem, P.: Comparing the accuracy of several network-based COVID-19 prediction algorithms. Int. J. Forecast. (2020). https://doi.org/10.1016/j.ijforecast.2020.10.001
- Ahmar, A.S.: RcmdrPlugin.sutteForecastR: an RcmdrPlugin for forecasting data. J. Phys. Conf. Series (2018). https://doi.org/10.1088/1742-6596/1028/1/012224
- Ahmar, A. S.: Forecast error calculation with mean squared error (MSE) and mean absolute percentage error (MAPE). JINAV J. Inf. Vis. 1(2) (2020). https://doi.org/10.35877/454RLjinav303
- Ahmar, A., Boj, E.: Current Research in Behavioral Sciences Will COVID-19 confirmed cases in the USA reach 3 million? A forecasting approach by using SutteARIMA method. Curr. Res. Behav. Sci. (2020a). https://doi.org/10.1016/j.crbeha.2020.100002
- Ahmar, A.S., Boj, E.: The date predicted 200.000 cases of Covid-19 in Spain. J. Appl. Sci. Eng. Technol. Educ. 2(2), 188–193 (2020b). https://doi.org/10.35877/454RI.asci22102
- Ahmar, A.S., Rahman, A., Mulbar, U.: α-Sutte indicator: a new method for time series forecasting. J. Phys. Conf. Series (2018). https://doi.org/10.1088/1742-6596/1040/1/012018
- Ahmar, A.S., del Val, E.B.: SutteARIMA: Short-term forecasting method, a case: covid-19 and stock market in Spain. Sci. Total Environ. 729, 138883 (2020). https://doi.org/10.1016/j.scitotenv.2020.138883
- Arora, P., Kumar, H., Panigrahi, B.K.: Prediction and analysis of COVID-19 positive cases using deep learning models: A descriptive case study of India. Chaos Solitons Fractals 139, 110017 (2020). https://doi.org/10.1016/j.chaos.2020.110017
- Bashir, M.F., MA, B., & Shahzad, L.: A brief review of socio-economic and environmental impact of Covid-19. Air Qual. Atmos. Health 13(12), 1403–1409 (2020). https://doi.org/10.1007/s11869-020-00894-8
- Bilal, Bashir, M., Shahzad, A., Komal, B., Bashir, M., Tan, D.: Nexus between temperature and COVID-19 pandemic: A meta-analysis (2021a). https://doi.org/10.3390/ECERPH-3-09098
- Bilal, B., M. F., Shahzad, K., Komal, B., Bashir, M. A., Bashir, M., Tan, D., Fatima, T., & Numan, U.: Environmental quality, climate indicators, and COVID-19 pandemic: Insights from top 10 most affected states of the USA. Environ. Sci. Pollut. Res. Int. (2021b). https://doi.org/10.1007/s11356-021-12646-x
- Castillo, O., Melin, P.: Forecasting of COVID-19 time series for countries in the world based on a hybrid approach combining the fractal dimension and fuzzy logic, (January) (2020)
- CBO. (2020). Monthly budget review: summary for fiscal year (2019). USA. Retrieved from https://www.cbo.gov/blog/archive/202011
- Das, S.: Prediction of COVID-19 disease progression in India: under the effect of national lockdown (2020). Retrieved fromhttp://arxiv.org/abs/2004.03147
- Eydoux, C., Fattorini, V., Shannon, A., Le, T.-T.-N., Didier, B., Canard, B., Guillemot, J.-C.: A fluores-cence-based high throughput-screening assay for the SARS-CoV RNA synthesis complex. J. Virol. Methods 288, 114013 (2021). https://doi.org/10.1016/j.jviromet.2020.114013
- Fong, S.J., Li, G., Dey, N., Gonzalez-Crespo, R., Herrera-Viedma, E.: Finding an accurate early forecasting model from small dataset: a case of 2019-nCoV novel coronavirus outbreak. Int. J. Interac. Multimedia Artif. Intell. 6(1), 132 (2020). https://doi.org/10.9781/ijimai.2020.02.002
- Garcia-Vega, S., Zeng, X.J., Keane, J.: Stock returns prediction using kernel adaptive filtering within a stock market interdependence approach. Exp. Syst. Appl. 160, 113668 (2020). https://doi.org/10.1016/j. eswa.2020.113668
- Gatto, M., Bertuzzo, E., Mari, L., Miccoli, S., Carraro, L., Casagrandi, R., Rinaldo, A.: Spread and dynamics of the COVID-19 epidemic in Italy: effects of emergency containment measures. Proc. Natl. Acad. Sci. USA 117(19), 10484–10491 (2020). https://doi.org/10.1073/pnas.2004978117
- International Monetary Fund. (2020). Tentative stabilization, sluggish recovery? World Economic Outlook, 1–10
- JHU: Novel Coronavirus 2019 time series data on cases (2020). Retrieved from https://github.com/datasets/ covid-19
- Kim, S., Kim, H.: A new metric of absolute percentage error for intermittent demand forecasts. Int. J. Forecast. 32(3), 669–679 (2016). https://doi.org/10.1016/j.ijforecast.2015.12.003
- Koutsellis, T., Nikas, A.: a predictive model and country risk assessment for COVID-19: an application of the limited failure population concept, (January) (2020)
- Kuniya, T.: Prediction of the epidemic peak of coronavirus disease in Japan, 2020. J. Clin. Med. 9(3), 789 (2020). https://doi.org/10.3390/jcm9030789
- Nabipour, M., Nayyeri, P., Jabani, H., Mosavi, A., Salwana, E., Shahab, S.: Deep learning for stock market prediction. Entropy (2020). https://doi.org/10.3390/E22080840
- Ojugo, A.A., Yoro, R.E.: Predicting Futures price and contract portfolios using the ARIMA model: a case of Nigeria's Bonny light and forcados. Quan. Econ. Manag. Stud. 1(4), 237–248 (2020)



- Roy, S., Bhunia, G.S., Shit, P.K.: Spatial prediction of COVID-19 epidemic using ARIMA techniques in India. Model. Earth Syst. Environ. (2020). https://doi.org/10.1007/s40808-020-00890-y
- Salisu, A.A., Akanni, L., Raheem, I.: The COVID-19 global fear index and the predictability of commodity price returns. J. Behav. Exp. Financ. 27, 100383 (2020). https://doi.org/10.1016/j.jbef.2020.100383
- Singhal, A., Singh, P., Lall, B., Joshi, S.D.: Modeling and prediction of COVID-19 pandemic using Gaussian mixture model. Chaos, Solitons Fractals 138, 110023 (2020). https://doi.org/10.1016/j.chaos.2020. 110023
- Singh, P.K., Kiran, R., Bhatt, R.K., Tabash, M.I., Pandey, A.K., Chouhan, A.: COVID-19 pandemic and transmission factors: an empirical investigation of different countries. J. Publ. Aff. (2021). https://doi. org/10.1002/pa.2648
- Time series analysis: univariate and multivariate methods. By William W. S. Wei review by: Steven C. Hillmer published by: American statistical association stable URL: http://www.jstor.org/stable/2289741. Your use of the JSTOR archive indicates y. (2014), 86(413), 245–246
- Wang, P., Zheng, X., Li, J., Zhu, B.: Prediction of epidemic trends in COVID-19 with logistic model and machine learning technics. Chaos Solitons Fractals 139, 110058 (2020). https://doi.org/10.1016/j. chaos.2020.110058
- Wikipedia. Financial market impact of the COVID-19 pandemic Wikipedia (2020). Retrieved from https://en.wikipedia.org/wiki/Financial_market_impact_of_the_COVID-19_pandemic

Worldometer: Coronavirus cases (2020). https://doi.org/10.1101/2020.01.23.20018549V2

- Xie, C., Luo, C., Yu, X.: Financial distress prediction based on SVM and MDA methods: the case of Chinese listed companies. Qual. Quant. 45(3), 671–686 (2011). https://doi.org/10.1007/s11135-010-9376-y
- YahooFinance (2020a). ^DJI. Retrieved from https://finance.yahoo.com/quote/%5EBSESN?p=%5EDJI&. tsrc=fin-srch
- YahooFinance (2020b). Finance.yahoo.com. Retrieved from https://finance.yahoo.com/quote/%5EDJI/history?p=%5EDJI
- Yang, J., Zheng, Y., Gou, X., Pu, K., Chen, Z., Guo, Q., Zhou, Y.: Prevalence of comorbidities and its effects in coronavirus disease 2019 patients: a systematic review and meta-analysis. Int. J. Infect. Dis. 94, 91–95 (2020). https://doi.org/10.1016/j.ijid.2020.03.017

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Authors and Affiliations

Pawan Kumar Singh¹ • Anushka Chouhan² · Rajiv Kumar Bhatt² · Ravi Kiran³ · Ansari Saleh Ahmar⁴ •

Anushka Chouhan chouhananushka188@gmail.com

Rajiv Kumar Bhatt rkbhatt_eco@yahoo.com

Ravi Kiran rkiran@thapar.edu

Ansari Saleh Ahmar ansarisaleh@unm.ac.id

- School of Humanities and Social Sciences, Thapar Institute of Engineering and Technology, Patiala, Punjab 147004, India
- Department of Economics, Banaras Hindu University, Varanasi, Uttar Pradesh 221005, India
- School of Humanities and Social Sciences, Thapar Institute of Engineering and Technology, Patiala, Punjab 147004, India
- Department of Statistics, Faculty of Mathematics and Natural Sciences, Universitas Negeri Makassar, Makassar 90224, Indonesia



Implementation of the SutteARIMA method to predict short-term cases of stock market and COVID-19 pandemic in USA

USA	+				
ORIGIN	IALITY REPORT				
SIMIL	9% ARITY INDEX	12% INTERNET SOURCES	16% PUBLICATIONS	% STUDENT PA	PERS
PRIMAF	RY SOURCES				
1	Measur Resona	g, L. Vulin, G. Pa ement of Permit nt Modes", 2006 ation Society Int	tivity using M IEEE Antenna	ulti- s and	1 %
2	Abdalla Chatzip trends f Pearsor	uhaidat, Aiman Ah, Iliana Papami araskeva. "Predi for different Euro n correlation", Eu for Environment	chael, Georgia icting COVID-1 opean countri uro-Mediterra	9 future es using nean	1 %
3	values o	Nemes, Attila Kischanges using see ews headlines", Jecommunication	entiment analy Journal of Info	sis of	1 %
4	Cases in	a Haidari. "Predi n Afghanistan Us th Square Platfo	sing ARIMA mo		1 %

Nuning Kurniasih, Ansari Saleh Ahmar,
Dadang Rahmat Hidayat, Herlina Agustin,
Edwin Rizal. "Forecasting Infant Mortality Rate
for China: A Comparison Between α-Sutte
Indicator, ARIMA, and Holt-Winters", Journal of
Physics: Conference Series, 2018

1 %


Publication

6	dokumen.pub Internet Source	1 %
7	Lotanna E. Emediegwu. "Health impacts of daily weather fluctuations: Empirical evidence from COVID-19 in U.S. counties", Journal of Environmental Management, 2021 Publication	1 %
8	Janmenjoy Nayak, Pandit Byomakesha Dash, Bighnaraj Naik, Subhashree Mohapatra, A. R. Routray. "Deep Learning-Based Trend Analysis on Indian Stock Market in COVID-19 Pandemic Scenario and Forecasting Future Financial Drift", Journal of The Institution of Engineers (India): Series B, 2022 Publication	1%
9	Christopher Flores, Carla Taramasco, Maria Elena Lagos, Carla Rimassa, Rosa Figueroa. "A Feature-Based Analysis for Time-Series Classification of COVID-19 Incidence in Chile: A Case Study", Applied Sciences, 2021 Publication	1 %
10	www.atlantis-press.com Internet Source	1 %
11	www.biorxiv.org Internet Source	1 %
12	sci-hub.st Internet Source	1%
13	Haishuai Wang, Jiali Ma, Ziping Zhao, Zhenyi Jia, Zhenyan Ji, Jun Wu. "Adversarial Training for Predicting the Trend of the COVID-19 Pandemic", Journal of Database Management, 2022 Publication	1%

14	Amandeep Kaur, Sandeep K. Sood. "Cloud-Fog based framework for drought prediction and forecasting using artificial neural network and genetic algorithm", Journal of Experimental & Theoretical Artificial Intelligence, 2019 Publication	1 %
15	fatcat.wiki Internet Source	1 %
16	storage.googleapis.com Internet Source	<1%
17	www.4open-sciences.org	<1%
18	Louis Ehwerhemuepha, Sidy Danioko, Shiva Verma, Rachel Marano et al. "A super learner ensemble of 14 statistical learning models for predicting COVID-19 severity among patients with cardiovascular conditions", Intelligence- Based Medicine, 2021 Publication	<1%
19	Chenxi Sun, Shenda Hong, Moxian Song, Zhenjie Wang, Hongyan Li. "Predicting COVID- 19 Disease Progression and Patient Outcomes based on Temporal Deep Learning", Research Square, 2020 Publication	<1%
20	Gourav Kumar, Sanjeev Jain, Uday Pratap Singh. "Stock Market Forecasting Using Computational Intelligence: A Survey", Archives of Computational Methods in Engineering, 2020	<1%
21	www.cdc.gov Internet Source	<1%
22	pure.uva.nl Internet Source	<1%

23	Fariba Goodarzian, Ata Allah Taleizadeh, Peiman Ghasemi, Ajith Abraham. "An integrated sustainable medical supply chain network during COVID-19", Engineering Applications of Artificial Intelligence, 2021	<1%
24	Sadegh Ilbeigipour, Amir Albadvi. "Supervised learning of COVID-19 patients' characteristics to discover symptom patterns and improve patient outcome prediction", Informatics in Medicine Unlocked, 2022 Publication	<1%
25	ira.agroscope.ch Internet Source	<1%
26	Giorgio Sonnino, Philippe Peeters, Pasquale Nardone. "Modelling the spreading of the SARS-CoV-2 in presence of the lockdown and quarantine measures by a approach ", Mathematical Medicine and Biology: A Journal of the IMA, 2022 Publication	<1%
27	Pluma Luna Ignacio, Correa Osalde Felipe de Jesus, Hernandez Sanchez José Luis. "Conservacion de aguacate variedad Hass en fresco, para exportacion", TESIUNAM, 1987 Publication	<1%
28	Shruti Goswami, Vijendra Singh Bramhe, Kanika Singla, Shaveta Khepra. "Chapter 4 Deep Learning Approach for Predicting the Price of Cryptocurrencies", Springer Science and Business Media LLC, 2022	<1%
29	www.scielo.br Internet Source	<1%





Exclude quotes On Exclude bibliography On

Exclude matches

< 5 words

Implementation of the SutteARIMA method to predict short-term cases of stock market and COVID-19 pandemic in USA

GRADEMARK REPORT	
FINAL GRADE	GENERAL COMMENTS
/0	Instructor
PAGE 1	
PAGE 2	
PAGE 3	
PAGE 4	
PAGE 5	
PAGE 6	
PAGE 7	
PAGE 8	
PAGE 9	
PAGE 10	
PAGE 11	